SAFETY DATA SHEET

1. Identification

Product identifier LPS® Heavy-Duty Silicone

Other means of identification

Part Number 01505

Recommended use An industrial lubricant designed to reduce mechanical wear and to extend equipment life of

machinery where rubber and plastics are involved and where silicone can be tolerated.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

LPS Laboratories, a division of Illinois Tool Works, Inc. Company name

Address 4647 Hugh Howell Rd.

Tucker, GA 30084

Country (U.S.A.)

Tel: +1 770-243-8800

In Case of Emergency 1-800-424-9300 (inside U.S.)

+001 703-527-3887 (outside U.S.)

Website www.lpslabs.com E-mail sds@lpslabs.com

2. Hazard(s) identification

Physical hazards Flammable liquids Category 4 **Health hazards** Aspiration hazard Category 1

Not classified. OSHA hazard(s)

Label elements



Signal word

Hazard statement H227 - Combustible liquid.

H304 - May be fatal if swallowed and enters airways.

Precautionary statement

Prevention P210 - Keep away from flames and hot surfaces-No smoking.

P280 - Wear protective gloves/eye protection/face protection.

Response P370 + P378 - In case of fire: Use appropriate media for extinction.

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P331 - Do NOT induce vomiting.

Storage P403 + P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

Disposal P501 - Dispose of contents/container in accordance with local/regional/national/international

regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

3. Composition/information on ingredients

Mixtures

Hazardous components

Chemical name	CAS number	%
Naphtha Petroleum, Hydrotreated Heavy	64742-48-9	20 - < 30
Other components below reportable levels		70 - < 80

Material name: LPS® Heavy-Duty Silicone

SDS US 592 Version #: 01 Issue date: 02-18-2013

4. First-aid measures

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim inhaled the substance. Call a physician if symptoms develop or persist.

Skin contact

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.

Eye contact

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention if irritation develops and persists.

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and delayed

Irritant effects. Defatting of the skin. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Coughing. Shortness of breath. Discomfort in the chest.

Indication of immediate medical attention and special treatment needed

delayed.

In case of shortness of breath, give oxygen. Keep victim under observation. Symptoms may be

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media Water spray. Water fog. Carbon dioxide (CO2). Alcohol resistant foam. Powder.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

By heating and fire, harmful vapors/gases may be formed.

Special protective equipment and precautions for firefighters

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection.

Fire-fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use standard firefighting procedures and consider the hazards of other involved materials. If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also consider initial evacuation for 800 meters (1/2 mile) in all directions. ALWAYS stay away from tanks engulfed in flame. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. Move containers from fire area if you can do so without risk. In the event of fire, cool tanks with water spray. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Some of these materials, if spilled, may evaporate leaving a flammable residue.

Specific methods

In the event of fire and/or explosion do not breathe fumes. Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Use standard firefighting procedures and consider the hazards of other involved materials. Move container from fire area if it can be done without risk. Use water spray to cool unopened containers.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Consider initial downwind evacuation for at least 500 meters (1/3 mile). Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Keep out of low areas. Ventilate closed spaces before entering them. In case of spills, beware of slippery floors and surfaces.

Methods and materials for containment and cleaning up

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Extinguish all flames in the vicinity. Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage with non-combustible, absorbent material. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not contaminate water. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect

material from direct sunlight. All equipment used when handling the product must be grounded. Do not breathe gas/fumes/vapor/spray. Use only in well-ventilated areas. Avoid prolonged or repeated contact with skin. Wear protective gloves/eye protection/face protection. Wash

thoroughly after handling. Use care in handling/storage.

Conditions for safe storage, including any incompatibilities

Level 1 Aerosol.

Keep tightly closed in a dry, cool and well-ventilated place. Storage temperature: between 0°F and 49°F. Keep out of the reach of children. Store locked up.

8. Exposure controls/personal protection

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Eye wash fountain is

recommended.

Skin protection

Hand protection Use personal protective equipment as required. Chemical resistant gloves are recommended.

Other Do not get this material in contact with skin. Use personal protective equipment as required.

Chemical resistant gloves.

Respiratory protection Do not breathe dust/fume/gas/mist/vapors/spray. No personal respiratory protective equipment

normally required. In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Not available

General hygiene considerations

Do not get in eyes, on skin, on clothing. When using, do not eat, drink or smoke. Wash hands after handling. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Appearance Liquid.
Physical state Liquid.
Form Liquid.

Color White Odor Mild.

Odor threshold Not established pH Not available.

Melting point/freezing point Not available.

Melting point/freezing point Initial boiling point and boiling

range

212 °F (100 °C)

Flash point 143.60 °F (62.00 °C) Tag Closed Cup

Evaporation rate < 1 BuAc

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

1.3 %

Flammability limit - upper

(%)

9.5

< 1

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 17.5 mm Hg @ 20°C

Vapor density 6

Relative density Not available.
Solubility(ies) Emulsifies

Partition coefficient

Auto-ignition temperature

(n-octanol/water)

> 572 °F (> 300 °C)

Not available. **Decomposition temperature**

Viscosity 5000 - 12000 cP @ 25°C

Other information

Heat of combustion < 20 kJ/gPercent volatile Not established 0.92 - 0.94Specific gravity

VOC (Weight %) 20 % per U.S. State and Federal Consumer Product Regulations.

10. Stability and reactivity

Reactivity Strong oxidizing agents.

Chemical stability Instability caused by elevated temperatures. Possibility of hazardous Hazardous polymerization does not occur.

reactions Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources. This product may react with oxidizing agents.

Incompatible materials Incompatible with oxidizing agents.

Hazardous decomposition

At thermal decomposition temperatures, carbon monoxide and carbon dioxide.

products

11. Toxicological information

Information on likely routes of exposure

Ingestion May be harmful if swallowed. May be fatal if swallowed and enters airways.

Inhalation Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea.

Skin contact Causes skin irritation. **Eve contact** May be irritating to eyes.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Based on available data, the classification criteria are not met. Acute toxicity Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/eye Based on available data, the classification criteria are not met.

irritation

Respiratory sensitization Based on available data, the classification criteria are not met. Skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Based on available data, the classification criteria are not met. Carcinogenicity Reproductive toxicity Based on available data, the classification criteria are not met. Specific target organ toxicity -Based on available data, the classification criteria are not met.

single exposure

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

May be harmful if swallowed and enters airways. If aspirated into lungs during swallowing or **Aspiration hazard**

vomiting, may cause chemical pneumonia, pulmonary injury or death.

Chronic effects Prolonged inhalation may be harmful.

Further information Symptoms may be delayed.

12. Ecological information

Ecotoxicity Not expected to be harmful to aquatic organisms.

Persistence and degradability Expected to biodegrade.

Bioaccumulative potential Not available. Partition coefficient n-octanol / water (log Kow)

LPS® Heavy-Duty Silicone < 1

Mobility in soil Not available. Other adverse effects Not available

Material name: LPS® Heavy-Duty Silicone 592 Version #: 01 Issue date: 02-18-2013

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations Not available.

Hazardous waste code Not regulated.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as a hazardous material by DOT.

IATA

Not regulated as a dangerous good.

IMDG

Not regulated as a dangerous good.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

No information available.

General information This material is not regulated by any mode of transportation.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not on regulatory list.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

No

SARA 311/312 Hazardous

No

chemical

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Not listed.

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

DEA Exempt Chemical Mixtures Code Number

Not regulated.

Food and Drug

Not regulated.

Administration (FDA)

Material name: LPS® Heavy-Duty Silicone 592 Version #: 01 Issue date: 02-18-2013

US state regulations

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Not regulated.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Australian Inventory of Chemical Substances (AICS)

International Inventories

Australia

Country(s) or region

Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

Inventory name

Issue date 02-18-2013

Version # 01

Further information HMIS® is a registered trade and service mark of the NPCA.

This safety data sheet was prepared in accordance with the Safety Data Sheet for Chemical Disclaimer

Products (JIS Z 7250:2005). Additional information is given in the Material Safety Data Sheet. The

information in the sheet was written based on the best knowledge and experience currently

available.

Revision Information Product and Company Identification: Product and Company Identification

> Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties Transport Information: Material Transportation Information

Regulatory Information: United States

GHS: Classification

Material name: LPS® Heavy-Duty Silicone

On inventory (yes/no)*